For Research Use Only

CoraLite® Plus 488-conjugated DDX3 Polyclonal antibody

Catalog Number:CL488-11115 Featured Product

Antibodies | ELISA kits | Proteins www.ptglab.com

Basic Information	Catalog Number: CL488-11115	GenBank Accession Number: BC011819	Purification Method: Antigen affinity purification
	Size: 100ul , Concentration: 1000 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG1614	GeneID (NCBI): 1654 UNIPROT ID: 000571 Full Name: DEAD (Asp-Glu-Ala-Asp) box polypeptide 3, X-linked Calculated MW: 73 kDa Observed MW: 73 kDa	Recommended Dilutions: IF/ICC: 1:50-1:500 FC (Intra): 0.8 ug per 10^6 cells in a 100 µl suspension Excitation/Emission maxima wavelengths: 493 nm / 522 nm
Applications	Tested Applications: IF/ICC, FC (Intra)	Positive Controls: IF/ICC : HepG2 cells, FC (Intra) : HeLa cells,	
	Species Specificity: human, mouse, rat		
Background Information	DDX3X, also named as DBX, DDX3 and HLP2, belongs to the DEAD box helicase family and DDX3/DED1 subfamily. It is ATP-dependent RNA helicase. DDX3X acts as a cofactor for XPO1-mediated nuclear export of incompletely spliced HIV-1 Rev RNAs. It is also involved in HIV-1 replication. DDX3X interacts specifically with hepatitis C virus core protein resulting in a change in intracellular location. 73 kDa is the target band. 60-65 kDa is some other isoform. This antibody can bind both DDX3X and DDX3Y for the close sequences.		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3 Aliquoting is unnecessary for -20°C storage		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 DDX3 antibody (CL488-11115) at dilution of 1:200.



1X10⁶ HeLa cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human DDX3 (CL488-11115) (red), or 0.8 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).