For Research Use Only

## CoraLite® Plus 488-conjugated MCM7 Polyclonal antibody

www.ptglab.com

**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-11225

**Basic Information** 

Catalog Number: GenBank Accession Number:

CL488-11225 BC013375 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 4176 Nanodrop: **UNIPROT ID:** 

P33993 Rabbit Full Name:

Isotype: minichromosome maintenance IgG complex component 7

Immunogen Catalog Number: Calculated MW:

AG1730 81 kDa

> Observed MW: 81 kDa

**Applications** 

**Tested Applications:** IF/ICC, FC (Intra)

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: A431 cells,

## **Background Information**

MCM7, also named as CDC47 homolog or P1.1-MCM3, is a 719 amino acid protein, which belongs to the MCM family. MCM7 acts as component of the MCM2-7 complex (MCM complex) which is the putative replicative helicase essential for 'once per cell cycle' DNA replication initiation and elongation in eukaryotic cells. the MCM2-7 complex participates in the pre-replication complex formation and exhibits helicase activity which makes DNA unwind, and resulting in recruitment of DNA polymerases and initiation of DNA replication and elongation [PMID: 29463213]. An immunohistochemical study has shown that MCM7 is increased in HCC. Silencing of MCM7 with shRNA inhibits the malignant behavior of HCC cells via cell cycle arrest and apoptosis [[PMID: 29463213].


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed A431 cells using CoraLite® Plus 488 MCM7 antibody (CL488-11225) at dilution of 1:200.



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human MCM7 (CL488-11225) (red), or 0.4 ug Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).