For Research Use Only

CoraLite® Plus 488-conjugated MGEA5 Polyclonal antibody

www.ptglab.com

Purification Method:

IF/ICC 1:50-1:500

wavelengths:

493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-14711

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL488-14711 BC039583 GeneID (NCBI): 100ul, Concentration: 1000 ug/ml by 10724

Nanodrop: **UNIPROT ID:** 060502 Rabbit Full Name:

Isotype: meningioma expressed antigen 5

IgG (hyaluronidase) Immunogen Catalog Number: Calculated MW: AG6405 103 kDa Observed MW:

130 kDa

Applications

Tested Applications: IF/ICC, FC (Intra)

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

Human meningioma-expressed antigen 5 (MGEA5) has two putative domains including protein O-GlcNAcase domain and histone acetyltransferase domain, therefore it is often called bifunctional protein NCOAT. Three isoforms of MEGE5 are produced by alternative splicing. MGEA5 was found to be regulated to reduce the state of glycosylation of transcitpional activators while increasing the acetylation of histones to allow for the concerted activation of eukaryotic gene transcription, for instance, acetylation of Lys8 of histone H4 and Lys 14 of histone H3 are resulted from acetyltransferase activity. In addition, single nucleotide polymorphism in MGE5A is associated $with \ type\ 2\ diabetes\ in\ Mexican\ Americans.\ Two\ bands\ at\ 130 kDa\ and\ 75\ kDa\ could\ be\ detected\ using\ the\ present$ rabbit polyclonal antibody 14711-1-AP, which is consistent with results in a related reference (PubMed:11341771).

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1x10^6 HepG2 cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human MGEA5 (CL488-14711) (red), or 0.8 ug CoraLite® Plus 488-conjugated Rabbit IgG control Rabbit PolyAb (CL488-30000, Clone:) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 MGEA5 antibody (CL488-14711) at dilution of 1:200, CL594-Phalloidin (red).