For Research Use Only

CoraLite® Plus 488-conjugated EXOSC3 Polyclonal antibody

Catalog Number: CL488-15062 Featured Product



Basic Information

Catalog Number: GenBank Accession Number:

 CL488-15062
 BC002437

 Size:
 GeneID (NCBI):

 100ul , Concentration: 1000 ug/ml by 51010

Nanodrop; UNIPROT ID:
Source: Q9NQT5
Rabbit Full Name:

Isotype: exosome component 3

IgG Calculated MW:

Immunogen Catalog Number: 30 kDa

AG7065 Observed MW:

31 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: PC-3 cells,

Background Information

RNA exosomes are multi-subunit complexes conserved throughout evolution, and they are emerging as the major cellular machinery for processing, surveillance and turnover of a diverse spectrum of coding and noncoding RNA substrates essential for viability[PMID:22544365]. In the nucleus, the RNA exosome complex is involved in proper maturation of stable RNA species such as rRNA, snRNA and snoRNA, in the elimination of RNA processing by-products and non-coding 'pervasive' transcripts [PMID:11782436]. EXOSC3 is a non-catalytic component of the RNA exosome complex which has 3'->5' exoribonuclease activity and involves in a multitude of cellular RNA processing and degradation events. EXOSC3 as peripheral part of the Exo-9 complex stabilizes the hexameric ring of Rnase PH-domain subunits through contacts with EXOSC9 and EXOSC5 [PMID:21255825].

Storage


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed PC-3 cells using CoraLite® Plus 488 EXOSC3 antibody (CL488-15062) at dilution of 1:200, CL594-Phalloidin (red).