For Research Use Only

CoraLite® Plus 488-conjugated S100A4 Polyclonal antibody

Catalog Number:CL488-16105

Featured Product 1 Publications





Basic Information	Catalog Number: CL488-16105	GenBank Accession Number: BC016300	Purification Method: Antigen affinity purification
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG9019	GeneID (NCBI): 6275	Recommended Dilutions: IF/ICC 1:50-1:500
		ENSEMBL Gene ID: ENSG00000196154 UNIPROT ID: P26447 Full Name: S100 calcium binding protein A Calculated MW: 101 aa, 12 kDa Observed MW:	Excitation/Emission maxima wavelengths: 493 nm / 522 nm
		10-12 kDa	
Applications	Tested Applications: IF/ICC, FC (Intra) Species Specificity: human, mouse	Positive Controls: IF/ICC : HeLa cells,	
Background Informatior	S100A4 is a member of the S100 family of calcium-binding proteins. The S100 family members have been involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100A4 is known to localize to and function in the nucleus, cytoplasm of cells, and the extracellular space. S100A4 has also been shown to be associated with tumor growth, motility, invasion, metastasis, angiogenesis, apoptosis, and chemoresistance. It is a fibroblast-specific protein associated with mesenchymal cell morphology and motility, is expressed during epithelial-mesenchymal transformations (EMT) in vivo (PMID: 9362334). It is a specific prognostic marker for renal survival in patients with IgAN (PMID: 16105038). It is also an improved marker for lung fibroblasts that could be useful for investigating the pathogenesis of pulmonary fibrosis(PMID: 15618458). Overexpression of S100A4 is correlated with a worse prognosis inpatients with various types of cancer.		
Notable Publications	Author Pub	med ID Journal	Application
	Yijuan Zhang 396	77772 bioRxiv	
Storage	Storage: Store at -20°C. Avoid exposure to ligh Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin Aliquoting is unnecessary for -20°C s	1300, 0.5% BSA, pH 7.3.	ient.

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1X10⁶ HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human S100A4 (CL488-16105) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Intracellular Staining Permeabilization Wash Buffer.

Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 488 5100A4 antibody (CL488-16105) at dilution of 1:200, CL594-Phalloidin (red).