For Research Use Only

CoraLite® Plus 488-conjugated Cytokeratin 16 Polyclonal antibody

Catalog Number:CL488-17265




Basic Information	Catalog Number: CL488-17265	GenBank Accession Number: BC 039169	Purification Method: Antigen affinity purification		
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG10999	GeneID (NCBI): 7 3868 UNIPROT ID: P08779 Full Name: keratin 16	Recommended Dilutions: IF/ICC 1:50-1:500 Excitation/Emission maxima wavelengths: 493 nm / 522 nm		
				Calculated MW: 473 aa, 51 kDa	
				Observed MW: 48 kDa	
		Applications	Tested Applications: IF/ICC	Positive Controls:	
			IF/ICC : A431 cells, Species Specificity: human, mouse		
Background Informatior	Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. Keratin 16 is a type I cytokeratin. It is paired with keratin 6 in a number of epithelial tissues, including nail bed, esophagus, tongue, and hair follicles.				
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage				

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed A431 cells using CoraLite® Plus 488 Cytokeratin 16 antibody (CL488-17265) at dilution of 1:200.