For Research Use Only

CoraLite® Plus 488-conjugated INF2 Polyclonal antibody



Purification Method:

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-20466

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL488-20466 BC008756

Size: GeneID (NCBI):

100ul , Concentration: 1000 ug/ml by 64423

Nanodrop; UNIPROT ID:
Source: Q27J81
Rabbit Full Name:

Isotype: inverted formin, FH2 and WH2

IgG domain containing
Immunogen Catalog Number: Calculated MW:
AG14302 1249 aa, 136 kDa

Observed MW: 180-200 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

INF2 is a member of the formin family of actin-regulating proteins. INF2 is peripherally bound to the cytoplasmic face of the endoplasmic reticulum (ER). Mutations in the formin gene INF2 cause focal segmental glomerulosclerosis. The predicted MW of INF2 is around 136 kDa, while higher molecular mass from 140-200 kDa has been reported in literature (26383224,20493814,19366733).

Storage

Storage


Store at -20 °C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite® Plus 488 INF2 antibody (CL488-20466) at dilution of 1:200. DAPI (blue).