For Research Use Only

## CoraLite® Plus 488-conjugated FUT4 Polyclonal antibody

www.ptglab.com

**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths:

493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-22141

**Basic Information** 

Catalog Number: GenBank Accession Number:

CL488-22141 BC136374 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 2526 Nanodrop: **UNIPROT ID:** 

P22083

Rabbit Full Name:

Isotype: fucosyltransferase 4 (alpha (1,3) fucosyltransferase, myeloid-specific) IgG

Immunogen Catalog Number: Calculated MW: AG17565 530 aa. 59 kDa

> Observed MW: 45 kDa, 63 kDa

**Applications** 

**Tested Applications:** 

Species Specificity:

Positive Controls:

IF/ICC: A431 cells,

## **Background Information**

FUT4, also named as ELFT and FCT3A, belongs to the glycosyltransferase 10 family. FUT4 may catalyze alpha-1,3 glycosidic linkages involved in the expression of Lewis X/SSEA-1 and VIM-2 antigens. The expression of CD15 (acts as a terminal glycotope in glycoproteins and glycolipids) is directed by FUT4 in promyelocytes and monocytes. FUT4 is an antigenic epitope defined as a Lewis X carbohydrate structure is expressed on murine embryonal carcinoma cells (EC), murine ES and iPS cells, and murine and human germ cells. It is widely used as a positive surface marker for mouse undifferentiated ES and iPS cells and a negative surface marker for human undifferentiated ES and iPS cells. Expression is down-regulated following differentiation of murine EC and ES cells, while the differentiation of human EC and ES cells is accompanied by an increase in FUT4 expression. FUT4 is associated with cell adhesion, migration and differentiation. 22141-1-AP detects the band around 45 kDa and glycosylated isoform 63 kDa protein in SDS-PAGE. (PMID: 22287018, 17335083, 11278338)

Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed A431 cells using CoraLite® Plus 488 FUT4 antibody (CL488-22141) at dilution of 1:200.