For Research Use Only

CoraLite® Plus 488-conjugated XBP1Sspecific Polyclonal antibody

www.ptglab.com

Catalog Number: CL488-24868

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL488-24868 BC000938 GeneID (NCBI): Size:

100ul, Concentration: 1000 ug/ml by 7494 Nanodrop;

UNIPROT ID: P17861 Source Rabbit Full Name:

X-box binding protein 1 Isotype

IgG Calculated MW: Immunogen Catalog Number: 261 aa, 29 kDa AG21703 Observed MW:

55-65 kDa

Purification Method:

Antigen affinity purification Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

FC (Intra)

Species Specificity: human, mouse, rat

Background Information

XBP1, also named as XBP2, belongs to the bZIP family. The X-box-binding protein-1 (XBP1) is a transcriptional regulator of the ER stress response that lies downstream of inositol-requiring enzyme 1 (IRE1a) activation (PMID: 14559994). XBP1 localizes in the nucleus. As a transcription factor, it is essential for hepatocyte growth, the differentiation of plasma cells, the immunoglobulin secretion, and the unfolded protein response. XBP1 has an association with major affective disorder. The unspliced XBP1U isoform is composed of 261 amino acid residues, and the spliced XBP1S isoform is composed of 376 amino acid residues. The calculated molecular weight of protein generated from the unspliced XBP1 isoform XBP1U mRNA is 33 kDa, and protein generated from spliced XBP1 isoform XBP1S mRNA is 54 kDa. This antibody specially recognizes the XBP1S isoform.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human XBP15-specific (CL488-24868) (red), or 0.8 ug CoraLite® Plus 488-conjugated Rabbit 1gG control Rabbit PolyAb (CL488-30000, Clone:) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).