For Research Use Only

## CoraLite® Plus 488-conjugated CXCR3B-specific Monoclonal antibody



**Purification Method:** 

CloneNo.: 1B2D6

wavelengths:

493 nm / 522 nm

Protein A purification

Excitation/Emission maxima

Catalog Number: CL 488-60065

**Featured Product** 

**Basic Information** 

Catalog Number: CL488-60065

Size: GeneID (NCBI): 100ul, Concentration: 1000 µg/ml by 2833

Nanodrop; **UNIPROT ID:** 

Source P49682 Mouse Full Name:

Isotype: chemokine (C-X-C motif) receptor 3 lgG2b

Calculated MW: 46 kDa

> Observed MW: 40 kDa+43 kDa

AF469635

GenBank Accession Number:

**Applications** 

**Tested Applications:** 

Species Specificity:

## **Background Information**

CXCR3 (C-X-C chemokine receptor type 3) is a G protein-coupled, seven-transmembrane domain chemokine receptor that is expressed on the surface of a number of cell types, including activated CD4+ and CD8+ T cells, NK and NK-T cells, plasmacytoid dendritic cells, and some B cells (PMID: 16847335). CXCR3 binds and is activated by the three IFN-gamma-inducible chemokines: CXCL9, CXCL10, and CXCL11. Binding of these ligands to CXCR3 has been implicated in regulating T-cell infiltration during inflammation and tissue injury (PMID: 17250586). Alternatively spliced transcript variants encoding different isoforms have been found for this gene. One of the isoforms, CXCR3B, mediates the angiostatic activity of CXCR3 ligands and also acts as functional receptor for CXCL4 (PMID:12782716). This monoclonal antibody is specific to CXCR3B.

Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data