For Research Use Only

CoraLite® Plus 488-conjugated SMN (Human, Mouse, Rat) Monoclonal antibody



Purification Method:

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

CloneNo.:

3C10B5

Catalog Number: CL488-60154

Featured Product

Basic Information

GenBank Accession Number: Catalog Number: BC000908

CL488-60154 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 6607

Nanodrop: **UNIPROT ID:** Q16637 Mouse Full Name:

Isotype: survival of motor neuron 2,

lgG2b centromeric Immunogen Catalog Number: Calculated MW: 282 aa, 30 kDa

AG14333

Tested Applications:

IF/ICC, FC (Intra) Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

The survival of motor neurons (SMN) genes are the disease genes of spinal muscular atrophy (SMA), a common motor neuron degenerative disease. The level of SMN protein correlates with phenotypic severity of SMA. SMA patients lack a functional SMN1 gene, but they possess an intact SMN2 gene, which though nearly identical to SMN1, is only partially functional, because a large majority of SMN2 transcripts lack exon 7, resulting in production of a truncated, less stable SMN protein. This antibody 60154-2-Ig can recognize human, mouse and rat SMN gene.

Storage


Applications

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 SMN (Human,Mouse,Rat) antibody (CL488-60154, Clone: 3C10B5) at dilution of 1:200.



1x10^6 Jurkat cells were intracellularly stained with 0.4 ug Coralite® Plus 488-conjugated SMN (Human,Mouse,Rat) Monoclonal antibody (CL488-60154, Clone:3C10B5)(red), or 0.4 ug Coralite® Plus 488 Mouse IgG2b isotype control (11B8C4) (CL488-66360-3, Clone: 11B8C4) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).