For Research Use Only

## CoraLite® Plus 488-conjugated CKM-Specific Monoclonal antibody



Catalog Number: CL488-60177

**Basic Information** 

Catalog Number: GenBank Accession Number:

CL488-60177 Protein A purification BC007462 GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 µg/ml by 1158 2G3F6

Calculated MW:

Source: creatine kinase, muscle Mouse

Isotype: 43 kDa IgG2a

Observed MW: 43 kDa

wavelengths: 488 nm / 515 nm

IF 1:50-1:500

**Purification Method:** 

Recommended Dilutions:

Excitation/Emission maxima

**Applications** 

**Tested Applications:** 

Species Specificity: human, mouse, rat

Positive Controls:

IF: C2C12 cells.

## **Background Information**

CKM, also named as CKMM and M-CK, is a member of the ATP:guanido phosphotransferase protein family. It is a cytoplasmic enzyme involved in energy homeostasis and is an important serum marker for myocardial infarction. CKM reversibly catalyzes the transfer of phosphate between ATP and various phosphogens such as creatine phosphate. It acts as a homodimer in striated muscle as well as in other tissues, and as a heterodimer with a similar brain isozyme in heart. CK isoenzymes play a central role in energy transduction in tissues with large, fluctuating energy demands, such as skeletal muscle, heart, brain and spermatozoa. CK MB consists of a dimer of nonidentical chains. With MM being the major form in skeletal muscle and myocardium, MB existing in myocardium, and BB existing in many tissues, especially brain.

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed C2C12 cells using CL488-60177 (CKM-Specific antibody) at dilution of 1:100.