For Research Use Only

CoraLite® Plus 488-conjugated TNFR1 Monoclonal antibody



Catalog Number: CL488-60192

Basic Information

Catalog Number: GenBank Accession Number:

CL488-60192 Protein G purification BC010140 GeneID (NCBI): CloneNo.: 2A6E3

100ul, Concentration: 1000 µg/ml by 7132

Source tumor necrosis factor receptor

superfamily, member 1A Mouse Calculated MW:

Isotype: lgG1 455 aa, 50 kDa Observed MW: Immunogen Catalog Number: 50-55 kDa

wavelengths: 488 nm / 515 nm

IF 1:50-1:500

Purification Method:

Recommended Dilutions:

Excitation/Emission maxima

Applications

Tested Applications:

Species Specificity: human, mouse, rat, pig **Positive Controls:**

IF: human liver cancer tissue,

Background Information

Tumor necrosis factor (TNF) is a multifunctional cytokine that plays a key role in regulating inflammation, immune functions, host defense, and apoptosis (PMID: 16407280). TNF exists in soluble and membrane-bound forms. TNF signals through two distinct cell surface receptors, TNFR1 (TNFRSF1A, CD120a) and TNFR2 (TNFRSF1B, CD120b). Whereas TNFR1 is widely expressed, expression of TNFR2 is limited to cells of the immune system, endothelial cells, and nerve cells (PMID: 22053109). TNFR1, which contains a death domain (DD) within its intracytoplasmic region, is thought to be the key receptor for TNF signaling (PMID: 16407280). This receptor can activate NF-kappaB, mediate apoptosis, and function as a regulator of inflammation. Antiapoptotic protein BCL2-associated athanogene 4 (BAG4/SODD) and adaptor proteins TRADD and TRAF2 have been shown to interact with this receptor, and thus play regulatory roles in the signal transduction mediated by the receptor.

Storage


Store at -20°C. Avoid exposure to light.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human liver cancer tissue using Coralite® Plus 488 TNFR1 antibody (CL488-60192, Clone: 2A6E3) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed human liver cancer tissue using CoraLite® Plus 488 TNFR1 antibody (CL488-60192, Clone: 2A6E3) at dilution of 1:200.