For Research Use Only

CoraLite® Plus 488-conjugated CD11c Monoclonal antibody



Purification Method:

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

CloneNo.:

IF-P 1:50-1:500

wavelengths: 493 nm / 522 nm

2F1C10

Catalog Number:CL488-60258 3 Publications

Basic Information

Catalog Number: GenBank Accession Number:

CL488-60258 BC038237 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 3687

Nanodrop: ENSEMBL Gene ID: ENSG00000140678

Mouse **UNIPROT ID:** Isotype: P20702 IgG2a

Immunogen Catalog Number: integrin, alpha X (complement

AG11350 component 3 receptor 4 subunit) Calculated MW:

1169 aa, 129 kDa

Full Name:

Applications

Tested Applications:

Cited Applications:

Species Specificity:

human Cited Species: human

Positive Controls:

IF-P: human tonsillitis tissue,

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits. $CD11c/Integrin\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, on\, a\, variety\, of\, cells, including\, alpha\, X\, is\, a\, 145-150\, kDa\, type\, I\, transmembrane\, glycoprotein\, present\, alpha\, A\, type\, I\, type\,$ monocytes/macrophages, granulocytes, NK cells and dendritic cells. Integrin alpha X/beta 2 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis. And this anitbody is CL488(Ex/Em 488 nm/515 nm) conjugated.

Notable Publications

Author	Pubmed ID	Journal	Application
Kirsten M Reeves	34615724	Clin Cancer Res	IF
JinYing Xiang	38664707	Respir Res	IF
Yan Li	38472395	Inflamm Res	IF


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using Coralite® Plus 488 CD11c/Integrin Alpha X antibody (CL488-60258, Clone: 2F1C10) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using Coralite® Plus 488 CD11c/Integrin Alpha X antibody (CL488-60258, Clone: 2F1C10) at dilution of 1:200.