#### For Research Use Only

# CoraLite® Plus 488-conjugated BAX Monoclonal antibody



Catalog Number: CL488-60267 1 Publications

**Basic Information** 

Catalog Number: GenBank Accession Number:

CL488-60267 BC014175 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 581

Nanodrop: **UNIPROT ID:** Q07812 Mouse Full Name:

Isotype: BCL2-associated X protein

lgG2b Calculated MW:

Immunogen Catalog Number: 21 kDa

AG21068 Observed MW:

21 kDa

**Purification Method:** Protein A purification

CloneNo.: 4G5E8

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

**Applications** 

**Tested Applications:** IF/ICC, FC (Intra) **Cited Applications:** 

WB

Species Specificity: human, mouse, rat **Cited Species:** 

rat

Positive Controls:

IF/ICC: HeLa cells,

## **Background Information**

BAX, also named as BCL2L4, is a pro-apoptotic member of the Bcl-2 protein family, which plays a pivotal role in controlling cell life and death. Bax largely localizes to the cytoplasm of healthy cells, but accumulates on the outer mitochondrial membrane upon apoptosis induction (PMID: 9108035). BAX can commit a cell to apoptosis by translocation from the cytosol to the mitochondria and permeabilization of the outer mitochondrial membrane, which leads to the release of cytochrome c from mitochondria (PMID: 21763611). The expression of BAX is upregulated by the tumor suppressor protein p53, and BAX has been shown to be involved in p53-mediated apoptosis (PMID: 8183579).

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Shanshan Ma	34217903	Acta Biomater	WB

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

### Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using CoraLite® Plus 488 BAX antibody (CL488-60267, Clone: 4G5E8) at dilution of 1:200, CL594-Phalloidin (red).



1X10^6 HeLa cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human BAX (CL488-60267, Clone:4C5E8) (red), or 0.8 ug Mouse IgG2b Isotype Control (CL488-66360-3, Clone: K11B8C4B5) (blue). Cells were fixed with 4% PFA and permeabilized with 0.1% TritonX-100.