For Research Use Only

CoraLite® Plus 488 Anti-Human CD3 (OKT3)

www.ptglab.com

Catalog Number: CL488-65133

Basic Information

Catalog Number:

CL488-65133

Size:

100 tests , 5 μ l/test

Source: Mouse

> Isotype: IgG2a, kappa

GenBank Accession Number:

BC049847 GeneID (NCBI):

916

ENSEMBL Gene ID:

ENSG00000198851

UNIPROT ID: P07766

Full Name:

CD3e molecule, epsilon (CD3-TCR

complex) Calculated MW: 207 aa, 23 kDa

Purification Method:

Affinity purification

CloneNo.: OKT3

Excitation/Emission maxima wavelengths:

493 nm / 522 nm

Applications

Tested Applications:

Species Specificity:

Human

Background Information

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3γ, δ, ε, and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.

Selected Validation Data



1X10^6 human peripheral blood lymphocytes were surface stained with APC-Anti-Human CD19 (APC-65145, Clone: SJ25C1) and 5.00 ul CoraLite® Plus 488-conjugated Anti-Human CD3 (CL488-65133, Clone: OKT3). Cells were not fixed.



1X10^6 human peripheral blood lymphocytes were surface stained with APC-Anti-Human CD19 (APC-65145, Clone: SJ25C1) and CoraLite® Plus 488-conjugated Mouse IgG2a isotype control antibody. Cells were not fixed.