For Research Use Only

## CoraLite® Plus 488 Anti-Human IL-10 (7B8G3)



Catalog Number: CL488-65286

**Basic Information** 

Catalog Number:

GenBank Accession Number: BC104252

**Purification Method:** Affinity purification

CL488-65286

GeneID (NCBI):

CloneNo.:

3586

7B8G3

100ug , 0.2 mg/mL Source:

Full Name: interleukin 10

Excitation/Emission maxima wavelengths:

Mouse Isotype:

Calculated MW: 21 kDa

493 nm / 522 nm

lgG2b Immunogen Catalog Number:

HZ-1145

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity:

Human

**Background Information** 

Interleukin (IL)-10 is an anti-inflammatory cytokine, produced by T helper (Th) cells, macrophages, monocytes, and B cells, that plays a crucial role in preventing inflammatory and autoimmune pathologies. It downregulates the expression of Th1 cytokines, MHC class II antigens, and co-stimulatory molecules on macrophages. It also enhances  $B\ cell\ survival,\ proliferation,\ and\ antibody\ production.\ IL-10\ can\ block\ NF-\kappa B\ activity,\ and\ is\ involved\ in\ the$ regulation of the JAK-STAT signaling pathway. IL-10, along with its receptors, describes an important role in pathogenesis of various diseases, including infectious, inflammatory, autoimmune diseases. IL-10 mutations are associated with an increased susceptibility to HIV-1 infection and rheumatoid arthritis.


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

## **Selected Validation Data**



1X10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug CoraLite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:7B8G3) or Mouse IgG2b Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). Monocytes were gated.



1X10^6 LPS and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug Coralite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:7B8G3) (red) or Mouse IgG2b Isotype Control (blue), or unactivated and Brefeldin A treated human PBMCs were intracellularly stained with 0.2 ug Coralite® Plus 488 Anti-Human IL-10 (CL488-65286, Clone:7B8G3) (black, dashed line). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).

