For Research Use Only

## CoraLite® Plus 488-conjugated Arginase-1 Monoclonal antibody



Catalog Number: CL488-66129 2 Publications

**Basic Information** 

Catalog Number: GenBank Accession Number:

BC005321 GeneID (NCBI):

100ul, Concentration: 1000 µg/ml by 383

Full Name: Source: arginase, liver Mouse Calculated MW:

236aa,25 kDa; 322aa,35 kDa Isotype: lgG1

CI 488-66129

Immunogen Catalog Number:

**Purification Method:** 

Protein G purification

CloneNo.: 5D6D12

Recommended Dilutions:

IF 1:50-1:500

Excitation/Emission maxima

wavelengths: 488 nm / 515 nm

**Applications** 

**Tested Applications:** 

Cited Applications:

Species Specificity: human, pig, rat, mouse

**Cited Species:** 

mouse

**Positive Controls:** 

IF: HepG2 cells, HeLa cells

## **Background Information**

Arginase-1 (Liver arginase) belongs to the arginase family. ARG1 is a novel immunohistochemical marker of hepatocellular differentiation in fine needle aspiration cytology and a marker of hepatocytes and hepatocellular neoplasms. ARG1 is closely associated with alternative macrophage activation(PMID:12098359) and ARG1 has been shown to protectmotor neurons from trophic factor deprivation and allow sensory neurons to overcome neurite outgrowth inhibition by myelin proteins(PMID: 20071539).It can exsit as a homotrimer(PMID:16141327) and it has 3 isoforms produced by alternative splicing. Defects in ARG1 are the cause of argininemia (ARGIN). Deletion or TNFmediated restriction of ARG1 unleashes the production of NO by NOS2, which is critical for pathogen control. (PMID:27117406). ARG1 is a novel biomarker of post-stroke immune suppression(2016). The antibody is conjugated with CL488, Ex/Em 488 nm/515 nm.

## Notable Publications

Author	Pubmed ID	Journal	Application
Kirsten M Reeves	34615724	Clin Cancer Res	IF
Weihao Shi	33969376	Biosci Rep	IF

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



 $Immunofluorescent analysis of (-20^{\circ}C\ Ethanol) fixed HepG2 cells using CL488-66129 (ARG1 antibody) at dilution of 1:50.$ 



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CL488-66129 (ARG1 antibody) at dilution of 1:50.