

For Research Use Only

# CoraLite® Plus 488-conjugated GRP78/BIP Monoclonal antibody

Catalog Number: CL488-66574

Featured Product



## Basic Information

Catalog Number:

CL488-66574

Size:

100ul , Concentration: 1000 ug/ml by  
Nanodrop;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG2188

GenBank Accession Number:

BC020235

GeneID (NCBI):

3309

UNIPROT ID:

P11021

Full Name:

heat shock 70kDa protein 5 (glucose-  
regulated protein, 78kDa)

Calculated MW:

78 kDa

Observed MW:

78 kDa

Purification Method:

Protein G purification

CloneNo.:

1D6F7

Recommended Dilutions:

WB 1:500-1:2000

Excitation/Emission maxima  
wavelengths:

493 nm / 522 nm

## Applications

Tested Applications:

WB

Species Specificity:

Human, rat, mouse

Positive Controls:

WB : A549 cells, HeLa cells, HepG2 cells, MCF-7 cells,  
NIH/3T3 cells, HSC-T6 cells

## Background Information

GRP78 (HSPA5), also referred to as 'immunoglobulin heavy chain-binding protein' (BiP), is a member of the heat-shock protein-70 (HSP70) family and is involved in the folding and assembly of proteins in the endoplasmic reticulum (ER). It is a constitutively expressed resident protein of the ER in all eukaryotic cells. Recently it has been reported that GRP78 is associated with apoptosis or inhibition of cancer cell growth.

## Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)

E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with CL488-66574 (GRP78/BiP antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.