For Research Use Only

CoraLite® Plus 488-conjugated CD98/SLC3A2 Monoclonal antibody



Purification Method:

493 nm / 522 nm

Catalog Number: CL488-66883

Basic Information

Catalog Number: GenBank Accession Number:

CL488-66883 BC001061 Protein A purification GeneID (NCBI): CloneNo.:

100ul, Concentration: 1000 ug/ml by 6520 2B10F5 Nanodrop: **UNIPROT ID:**

Recommended Dilutions: P08195 IF/ICC 1:50-1:500 Mouse

Full Name: Excitation/Emission maxima Isotype: solute carrier family 3 (activators of wavelengths:

dibasic and neutral amino acid IgG2a

transport), member 2 Immunogen Catalog Number: Calculated MW: AG7301

68 kDa Observed MW:

85-94 kDa, 120-130 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity:

human

Positive Controls:

IF/ICC: HeLa cells,

Background Information

CD98 is a cell-surface heterodimer consisting of a heavy chain (CD98hc) and a light chain. CD98hc also interacts with certain integrin b-subunits to regulate cell migration, survival, proliferation, and adhesion/polarity. CD98hc is overexpressed on the cell surface of many cancers and increased CD98hc expression is associated with the development and progression of tumors. (PMID:25084765). This protein has 4 isoforms with the molecular mass of 58-71 kDa and can be detected 85-94 kDa due to glycosylation. The glycosylated CD98hc can links to a nonglycosylated light chain (~40 kDa) via a disulfide bond to form a heterodimeric CD98 antigen with molecular mass of 120-130 kDa (PMID: 14770309).

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using Coralite® Plus 488 CD98/SLC3A2 antibody (CL488-66883, Clone: 2B10F5) at dilution of 1:200.