For Research Use Only

CoraLite® Plus 488-conjugated PTK2B Monoclonal antibody



Purification Method:

493 nm / 522 nm

Catalog Number: CL488-67141

Basic Information

Catalog Number: GenBank Accession Number:

CL488-67141 BC042599 Protein G purification
Size: GeneID (NCBI): CloneNo.:

100ul , Concentration: 1000 µg/ml by 2185 Ctolleno

Nanodrop; Full Name: Excitation/Emission maxima
Source: PTK2B protein tyrosine kinase 2 beta wavelengths:

MouseCalculated MW:Isotype:1009 aa, 116 kDaIgG1Observed MW:Immunogen Catalog Number:112-115 kDa

AG11487

Applications Tested Applications:

FC (Intra)

Species Specificity: Human, Mouse, Rat, Pig

Background Information

Proline-rich tyrosine kinase 2 (Pyk2; also known as CAK, RAFTK and CADTK) is a cytoplasmic tyrosine kinase implicated to play a role in several intracellular signaling pathways. It is expressed in many cells and tissues and migrated as a 130 kDa band in Western Blotting analysis. The size of PYK2 is 115 kDa, and it expressed in many cells and tissues and migrated as a 130 kDa band, but several lower molecular weight bands (75 kDa, 80 kDa, and 97 kDa) were seen in Western Blotting analysis, possibly due to proteolytic degradation.

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



1X10^6 Jurkat cells were intracellularly stained with 0.4 ug Coralite® Plus 488 Anti-Human PTK2B (CL488-67141, Clone:2A10G5) (red), or 0.4 ug x. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).