For Research Use Only

CoraLite® Plus 488-conjugated Phospho-TDP43 (Ser409/410) Recombinant antibody

Rabbit



Catalog Number: CL 488-80007

Basic Information

Catalog Number: GenBank Accession Number:

CL488-80007 NM 007375 GeneID (NCBI):

100ul , Concentration: 1000 $\mu g/ml$ by 23435 Nanodrop: **UNIPROT ID:** Source Q13148

Full Name: Isotype: TAR DNA binding protein

IgG Calculated MW:

43 kDa

Purification Method:

Protein A purification

CloneNo.: 6M10

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

Species Specificity: human, mouse

Background Information

Transactivation response (TAR) DNA-binding protein of 43 kDa (also known as TARDBP or TDP-43) was first isolated as a transcriptional inactivator binding to the TAR DNA element of the HIV-1 virus. Neumann et al. (2006) found that a hyperphosphorylated, ubiquitinated, and cleaved form of TARDBP, known as pathologic TDP-43, is the major component of the tau-negative and ubiquitin-positive inclusions that characterize amyotrophic lateral sclerosis (ALS) and the most common pathological subtype of frontotemporal lobar degeneration (FTLD-U). Various forms of TDP-43 exist, including 18-35 kDa of cleaved C-terminal fragments, 45-50 kDa phospho-protein, 55 kDa glycosylated form, 75 kDa hyperphosphorylated form, and 90-300 kDa cross-linked form. (PMID: 17023659,19823856, 21666678, 22193176). 80007-1-RR is a recombinant rabbit monoclonal antibody recognizing TDP-43 only when phosphorylated at 409/410. Immunohistochemical analyses using this antibody only stain the insoluble inclusions in pathologic tissues without normal diffuse nuclear staining.

Storage

Storage:

Store at -20°C. Avoid exposure to light.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data