

For Research Use Only



CoraLite® Plus 488-conjugated Phospho-Hamartin/TSC1 (Ser511) Recombinant antibody

Catalog Number: **CL488-80340**

Basic Information

Catalog Number:

CL488-80340

Size:

100ul , Concentration: 1000 ug/ml by
Nanodrop;

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM_000368

GeneID (NCBI):

7248

UNIPROT ID:

Q92574

Full Name:

tuberous sclerosis 1

Calculated MW:

130 kDa

Observed MW:

150 kDa

Purification Method:

Protein A purification

CloneNo.:

3N6

Excitation/Emission maxima
wavelengths:

493 nm / 522 nm

Applications

Tested Applications:

FC (Intra)

Species Specificity:

human, mouse

Background Information

TSC1, also named as Hamartin, is a tumor suppressor gene syndrome whose manifestations can include seizures, mental retardation, autism, and tumors in the brain, retina, kidney, heart, and skin. The tuberous sclerosis 1 (TSC1)/TSC2 tumor suppressor complex serves as a repressor of the mTOR pathway, and disruption of TSC1/TSC2 complex function may contribute to tumorigenesis. TSC1 is phosphorylated by IKKb at Ser487 and Ser511 in vitro and in vivo, and phosphorylation at these sites enhances dissociation of the TSC1/TSC2 complex, which in turn induces mTOR activation. (PMID: 17693255). TSC1 is also threonine-phosphorylated at three sites (Thr417, Ser584, and Thr1047) in a reaction catalyzed by cyclin-dependent kinase 1 (CDK1) (PMID: 14551205).

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1×10^6 Calyculin A treated HeLa cells were intracellularly stained with 0.5 μ g CoraLite® Plus 488 Anti-Human Phospho-Hamartin/TSC1 (Ser511) (CL488-80340, Clone:3N6) (red), or 0.5 μ g Control Antibody. Cells were fixed with 4% PFA and permeabilized with 50% MeOH.