For Research Use Only

CoraLite® Plus 488-conjugated c-MYC Recombinant antibody

Catalog Number: CL488-80845

Featured Product



Basic Information

Catalog Number: GenBank Accession Number:

CL488-80845 BC000141 GeneID (NCBI): CloneNo.:

100ul, Concentration: 1000 ug/ml by 4609 2B17 Nanodrop: **UNIPROT ID:**

P01106 Rabbit Full Name:

Isotype: v-myc myelocytomatosis viral oncogene homolog (avian) IgG

Immunogen Catalog Number: Calculated MW:

AG1263 49 kDa

> Observed MW: 50-65 kDa

Applications

Tested Applications:

Species Specificity:

Purification Method:

Protein A purification

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Background Information

MYC contains one basic helix-loop-helix (bHLH) domain. This protein is a multifunctional, nuclear phosphoprotein that plays a role in cell cycle progression, apoptosis and cellular transformation. It functions as a transcription factor $that \ regulates \ transcription \ of \ specific \ target \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ to \ activate \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ the \ transcription \ of \ growth-related \ genes. \ It \ seems \ the \ transcription \ of \ growth-related \ genes. \ the \ transcription \ growth-related \ genes. \ The \ transcription \ the \ transcription \ growth-related \ growth-related \ genes. \ The \ transcription \ the \ tr$ binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Mutations, overexpression, rearrangement and translocation of this gene have been associated with a variety of hematopoietic tumors, leukemias and lymphomas, including Burkitt lymphoma.

Positive Controls:

IF/ICC: HeLa cells,

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 488 c-MYC antibody (CL488-80845, Clone: 2B17) at dilution of 1:200.