For Research Use Only

CoraLite® Plus 488-conjugated Acetyl-Histone H4 (Lys12) Recombinant antibody



Purification Method:

493 nm / 522 nm

Catalog Number: CL488-83095

Featured Product

Basic Information

Catalog Number: GenBank Accession Number: CL488-83095 BC069654

CL488-83095 BC069654 Protein A purification Genel D (NCBI): CloneNo.:

100ul , Concentration: 1000 ug/ml by 8359 1D18
Nanodrop; UNIPROT ID: Recommended Dilutions:

Source: P62805 IF/ICC 1:50-1:500
Rabbit Full Name: Full Name: Full Name: Training or Properties of the Properties of the

Rabbit Full Name: Excitation/Emission maxima Isotype: histone cluster 1, H4a wavelengths:

IgG Observed MW:

12 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity: human, mouse

Positive Controls:

IF/ICC : Caco-2 cells,

Background Information

Histone H4 is a 103 amino acid protein, which belongs to the histone H4 family. Histone H4 localizes in the nucleus and is a core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Acetylation of histone H4 is necessary for chromatin decompaction during DNA replication.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed Caco-2 cells using Coralite® Plus 488 Acetyl-Histone H4 (Lys12) antibody (CL488-83095, Clone: 1D18) at dilution of 1:200.