For Research Use Only

## CoraLite® Plus 488-conjugated PRDM16 Recombinant antibody

Catalog Number: CL488-83872




Basic Information	Catalog Number: CL488-83872	GenBank Accession Number: NM_022114	Purification Method: Protein A purification
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	Genel D (NCBI): 63976	CloneNo.: 240662D3
		UNIPROT ID: Q9HAZ2 Full Name: PR domain containing 16 Calculated MW: 140 kDa Observed MW: ~140 kDa	Recommended Dilutions: IF/ICC 1:50-1:500 Excitation/Emission maxima wavelengths: 493 nm / 522 nm
Background Information	PR domain containing 16, also known as PRDM16, acts as a transcription coregulator that controls the development of brown adipocytes in brown adipose tissue. Previously, this coregulator was believed to be present only in brown adipose tissue, but more recent studies have shown that PRDM16 is highly expressed in subcutaneous white adipose tissue as well. The protein encoded by this gene is a zinc finger transcription factor. PRDM16 controls the cell fate between muscle and brown fat cells. Loss of PRDM16 from brown fat precursors causes a loss of brown fat characteristics and promotes muscle differentiation.		
Storage	Storage: Store at -20°C. Avoid exposure to ligh Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin Aliquoting is unnecessary for -20°C s	n300, 0.5% BSA, pH 7.3.	ent.

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free<br/>in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using CoraLite® Plus 488 PRDM16 antibody (CL488-83872, Clone: 240662D3) at dilution of 1:200, CL594-Phalloidin (red).