

For Research Use Only

# FcZero-rAb® CoraLite® Plus 488 Anti-Human CD73 (AD2) Rabbit Recombinant Antibody

Catalog Number: CL488-FcA65564



## Basic Information

**Catalog Number:**

CL488-FcA65564

**Size:**

100 tests, 5 ul/test

**Source:**

Rabbit

**Isotype:**

IgG

**GenBank Accession Number:**

BC015940

**GeneID (NCBI):**

4907

**UNIPROT ID:**

P21589

**Full Name:**

5'-nucleotidase, ecto (CD73)

**Calculated MW:**

29 kDa, 63 kDa

**Purification Method:**

Protein A purification

**CloneNo.:**

AD2

**Recommended Dilutions:**

FC: 5 ul per 10<sup>6</sup> cells in a 100 µl suspension

**Excitation/Emission maximum wavelengths:**

493 nm / 522 nm

## Applications

**Tested Applications:**

FC

**Species Specificity:**

human

**Positive Controls:**

FC : human PBMCs,

## Background Information

CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membrane-bound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).

## Storage

**Storage:**

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



1x10<sup>6</sup> human PBMCs were surface stained with FcZero-rAb@ CoraLite® Plus 405 Anti-Human CD45, and 5 ul CoraLite® Plus 488 Anti-Human CD73 (AD2) Rabbit RecAb (CL488-FcA65564, Clone: AD2) or FcZero-rAb@ CoraLite® Plus 488 Rabbit IgG Isotype Control Recombinant Antibody (CL488-FcA98136, Clone: 240953C9). Cells were not fixed.



1x10<sup>6</sup> human PBMCs were surface stained with 5 ul CoraLite® Plus 488 Anti-Human CD73 (AD2) Rabbit RecAb (CL488-FcA65564, Clone: AD2) (red) or FcZero-rAb@ CoraLite® Plus 488 Rabbit IgG Isotype Control Recombinant Antibody (CL488-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.