For Research Use Only

FcZero-rAb® CoraLite® Plus 488 Anti-Human CD69 Rabbit Recombinant Antibody

Catalog Number:CL488-FcA98173

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Basic Information

Catalog Number:
CL488-FcA98173

Size:
100tests , 5 ul/test

Source:
Rabbit

Isotype:
IgG

Immunogen Catalog Number:
EG1791

GenBank Accession Number:
NM_001781.2

GeneID (NCBI):
969

UNIPROT ID:
Q07108

Full Name:
CD69 molecule

Calculated MW:
23 kDa

Purification Method:
Protein A purification

CloneNo.:
241552F1

Recommended Dilutions:
FC: 5 ul per 10^6 cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:
493 nm / 522 nm

Applications

Tested Applications:
FC

Species Specificity:
human

Positive Controls:

FC : PHA treated human PBMCs,

Background Information

CD69, also known as AIM, EA-1, Leu-23, and MLR3, is a type II transmembrane glycoprotein that belongs to the C-type lectin superfamily (PMID: 8340758; 7804122). CD69 is constitutively expressed by mature thymocytes, platelets, several subsets of tissue resident immune cells (including resident memory T cells and gamma delta T cells), and is inducibly expressed by activated T cells, B cells, natural killer (NK) cells, monocytes, neutrophils (PMID: 8100776; 28475283). CD69 has been identified as an early activation marker of lymphocytes and is commonly used as a marker of activated lymphocytes and NK cells (PMID: 28475283; 25759842). It is involved in the regulation of immune responses (PMID: 15745855).


Storage

Storage:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.
Storage Buffer:
PBS with 0.09% sodium azide, pH7.3


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 untreated or PHA treated human PBMCs were surface stained with FcZero-rAb® APC Anti-Human CD4 and 0.25 ug / 5 ul CoraLite® Plus 488 Anti-Human CD69 Rabbit RecAb (CL488-FcA98173, Clone: 241552F1). Cells were not fixed.



1x10^6 PHA treated human PBMCs were surface stained with 0.25 ug / 5 ul CoraLite® Plus 488 Anti-Human CD69 Rabbit RecAb (CL488-FcA98173, Clone: 241552F1)(red) or FcZero-rAb® CoraLite® Plus 488 Rabbit IgG Isotype Control Recombinant Antibody (CL488-FcA98136, Clone: 240953C9) (blue). 1x10^6 untreated human PBMCs were surface stained with 0.25 ug / 5 ul CoraLite® Plus 488 Anti-Human CD69 Rabbit RecAb (CL488-FcA98173, Clone: 241552F1) (black,