For Research Use Only

CoraLite®555-conjugated E-cadherin Monoclonal antibody

www.ptglab.com

Catalog Number: CL555-60335

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL555-60335 GeneID (NCBI): Size:

100ul, Concentration: 1000 ug/ml by 999

Nanodrop; **UNIPROT ID:** P12830 Source

Mouse **Full Name:**

cadherin 1, type 1, E-cadherin Isotype lgG2b (epithelial)

Immunogen Catalog Number: Calculated MW: AG15085 882 aa, 97 kDa

> Observed MW: 120 kDa

Purification Method:

Protein A purification

CloneNo.: 6B11F11

Recommended Dilutions:

IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 557 nm / 570 nm

Applications

Tested Applications:

Species Specificity:

human, pig

Positive Controls:

IF/ICC: MCF-7 cells,

Background Information

Cadherins are a family of transmembrane glycoproteins that mediate calcium-dependent cell-cell adhesion and play an important role in the maintenance of normal tissue architecture. E-cadherin (epithelial cadherin), also known as CDH1 (cadherin 1) or CAM 120/80, is a classical member of the cadherin superfamily which also include N-, P-, R-, and B-cadherins. E-cadherin is expressed on the cell surface in most epithelial tissues. The extracellular $region \ of \ E-cadherin \ establishes \ calcium-dependent \ homophilic \ trans \ binding, \ providing \ specific \ interaction \ with$ adjacent cells, while the cytoplasmic domain is connected to the actin cytoskeleton through the interaction with p120-, a-, β -, and γ -catenin (plakoglobin). E-cadherin is important in the maintenance of the epithelial integrity, and is involved in mechanisms regulating proliferation, differentiation, and survival of epithelial cell. E-cadherin may also play a role in tumorigenesis. It is considered to be an invasion suppressor protein and its loss is an indicator of high tumor aggressiveness.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using Coralite®555 E-cadherin antibody (CL555-60335, Clone: 6B11F11) at dilution of 1:200.