For Research Use Only

CoraLite® Plus 555 Anti-Mouse CD8a (53-6.7)



Catalog Number: CL555-65069

Basic Information

Catalog Number:

GenBank Accession Number:

CD8 antigen, alpha chain

Purification Method:

CL555-65069

BC030679

Affinity purification

Size:

GeneID (NCBI): 12525

CloneNo.: 53-6.7

100ug , 0.5 mg/ml Source:

UNIPROT ID: P01731

Excitation/Emission maxima wavelengths:

Rat Isotype:

Full Name:

554 nm / 570 nm

IgG2a, kappa

Applications

Tested Applications:

Species Specificity:

Mouse

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The $majority\ of\ class\ I-restricted\ T\ cells\ express\ mostly\ the\ CD8\alpha\beta\ heterodimer\ while\ CD8\alpha\alpha\ homodimers\ alone\ have$ been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



1X10^6 mouse splenocytes were surface co-stained with APC Anti-Mouse CD3 and 0.5 ug Coralite® Plus 555 Anti-Mouse CD8a (CL555-65069, Clone:53-6.7) or 0.5 ug Isotype Control. Cells were not fixed.