For Research Use Only

CoraLite® Plus 555 Anti-Mouse CD8a (5H10-1)



Catalog Number: CL555-65205

Basic Information

Catalog Number:

CL555-65205

100ug , 0.5 mg/ml Source:

Isotype:

IgG2b, lambda

GenBank Accession Number:

BC030679

GeneID (NCBI): 12525

UNIPROT ID: P01731 Full Name:

CD8 antigen, alpha chain

Purification Method:

Affinity purification

CloneNo.: 5H10-1

Excitation/Emission maxima

wavelengths: 554 nm / 570 nm

Applications

Tested Applications:

Species Specificity:

Mouse

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8αβ heterodimer while CD8αα homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) $\gamma\delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



1X10^6 mouse splenocytes were surface co-stained with APC Anti-Mouse CD3 and 0.5 ug CoraLite® Plus 555 Anti-Mouse CD8a (CL555-65205, Clone:5H10-1) or 0.5 ug Isotype Control. Cells were not fixed.