For Research Use Only

## CoraLite® Plus 555 Anti-Mouse CD8a (5H10-1)



Catalog Number: CL555-65205

Basic Information

Catalog Number:

CL555-65205

size:

100 $\mathrm{ug}$  , 0.5  $\mathrm{mg/ml}$ 

Rat

Isotype: IgG2b, lambda GenBank Accession Number:

BC030679 GeneID (NCBI):

12525

Full Name: CD8 antigen, alpha chain Purification Method: Affinity purification

CloneNo.: 5H10-1

Excitation/Emission maxima

wavelengths: 554 nm / 570 nm

**Applications** 

**Tested Applications:** 

FC

Species Specificity:

mouse

**Background Information** 

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8 $\beta$  (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8a $\beta$  heterodimer while CD8aa homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR)  $\gamma$   $\delta$  T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 0.09% sodium azide.

## Selected Validation Data



1X10^6 mouse splenocytes were surface co-stained with APC Anti-Mouse CD3 and 0.5 ug CoraLite® Plus 555 Anti-Mouse CD8a (CL555-65205, Clone:5H10-1) or 0.5 ug Isotype Control. Cells were not fixed.