For Research Use Only

CoraLite®555-conjugated CDC6 Monoclonal antibody



Purification Method:

Protein G purification

Excitation/Emission maxima

CloneNo.:

wavelengths: 557 nm / 570 nm

6F12D2

Catalog Number: CL555-66021

Basic Information

Catalog Number: GenBank Accession Number:

CL555-66021 BC025232 Size: GeneID (NCBI):

Nanodrop; UNIPROT ID:
Source: Q99741
Mouse Full Name:

100ul , Concentration: 1000 $\mu g/ml$ by 990

Isotype: cell division cycle 6 homolog (S.

IgG1 cerevisiae)
Immunogen Catalog Number: Calculated MW:
AG17958 560 aa, 63 kDa
Observed MW:

65 kDa

Applications

Tested Applications:

Species Specificity: human, mouse, rat

Background Information

CDC6, also named as CDC18L and HsCDC18, belongs to the CDC6/cdc18 family. It is involved in the initiation of DNA replication and functions as a regulator at the early steps of DNA replication. It also participates in checkpoint controls that ensure DNA replication is completed before mitosis is initiated. It localizes in cell nucleus during cell cyle G1, but translocates to the cytoplasm at the start of S phase. The subcellular translocation of this protein during cell cyle is regulated through its phosphorylation by Cdks. Defects in CDC6 are the cause of Meier-Gorlin syndrome type 5 (MGORS5). MGORS5 is a syndrome characterized by bilateral microtia, aplasia/hypoplasia of the patellae, and severe intrauterine and postnatal growth retardation with short stature and poor weight gain. This antibody is a mouse monoclonal antibody raised against residues near the C terminus of human CDC6.

Storage

Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data