For Research Use Only

CoraLite®555-conjugated PARP1 Monoclonal antibody

Catalog Number: CL555-66520 Featured Product



Basic Information

Catalog Number: GenBank Accession Number:

CL555-66520 BC037545 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 142 Nanodrop: **UNIPROT ID:** P09874

Mouse Full Name: Isotype: poly (ADP-ribose) polymerase 1

lgG1 Calculated MW: Immunogen Catalog Number: 1014 aa, 113 kDa

AG19173 Observed MW: 113-116 kDa, 85-89 kDa

Applications

Tested Applications: IF/ICC, FC (Intra)

Species Specificity: human, mouse, rat

Purification Method:

Protein G purification

CloneNo.: 1D7D4

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 557 nm / 570 nm

Background Information

PARP1 (poly(ADP-ribose) polymerase 1) is a nuclear enzyme catalyzing the poly(ADP-ribosyl)ation of many key proteins in vivo. The normal function of PARP1 is the routine repair of DNA damage. Activated by DNA strand breaks, the PARP1 is cleaved into an 85 to 89-kDa COOH-terminal fragment and a 24-kDa NH2-terminal peptide by caspases during the apoptotic process. The appearance of PARP fragments is commonly considered as an important biomarker of apoptosis. In addition to caspases, other proteases like calpains, cathepsins, granzymes and matrix metalloproteinases (MMPs) have also been reported to cleave PARP1 and gave rise to fragments ranging from 42-89-kDa. This antibody was generated against the N-terminal region of human PARP1 and it recognizes the fulllength as well as the cleavage of the PARP1.

Positive Controls:

IF/ICC: HeLa cells,

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite®555 PARP1 antibody (CL555-66520, Clone: 1D7D4) at dilution of 1:200.



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®555 Anti-Human PARP1 (CL555-66520, Clone:1D7D4) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).