For Research Use Only

CoraLite®555-conjugated CDK1 Monoclonal antibody

www.ptglab.com

Catalog Number: CL555-67575

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CL555-67575 BC014563 Protein A purification

> GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 983 2A11E4

Nanodrop: **UNIPROT ID:** Excitation/Emission maxima

P06493 wavelengths: 557 nm / 570 nm Mouse Full Name:

Isotype: cell division cycle 2, G1 to S and G2 to

lgG2a

Immunogen Catalog Number: Calculated MW: AG29018 25 kDa

> Observed MW: 34 kDa

Applications Tested Applications:

FC (Intra)

Species Specificity: Human, Mouse, Rat

Background Information

CDK1, also named as CDC2, belongs to the protein kinase superfamily, CMGC Ser/Thr protein kinase family and CDC2/CDKX subfamily. CDK1 plays a key role in the control of the eukaryotic cell cycle. It is required in higher cells for entry into S-phase and mitosis. CDK1 is a catalytic subunit of the highly conserved protein kinase complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions of eukaryotic cell cycle. It is a component of the kinase complex that phosphorylates the repetitive C-terminus of RNA polymerase II. Mitotic cyclins stably associate with CDK1 and function as regulatory subunits. CDK1 has 2 isoforms produced by alternative splicing with the molecular mass of 34 kDa and 27 kDa.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®555 Anti-Human CDK1 (CL555-67575, Clone:2A11E4) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).