For Research Use Only

CoraLite®555-conjugated Phospho-P53 (Ser15) Monoclonal antibody

Catalog Number: CL555-67826




Basic Information	Catalog Number: CL555-67826	GenBank Accession Number: BC 003596	Purification Method: Protein G purification
	100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG1	GenelD (NCBI): 7157	CloneNo.: 1H6G1
		UNIPROT ID: P04637 Full Name: tumor protein p53 Calculated MW: 44 kDa Observed MW: 53 kDa	Excitation/Emission maxima wavelengths: 557 nm / 570 nm
Applications	Tested Applications: FC (Intra) Species Specificity: human		
Background Information	TP53, also known as P53 and NY-CO-13, belongs to the p53 family and has 9 isoforms. In SDS-Page, the observed molecular weight is about 53 kDa. TP53 acts as a tumor suppressor in many tumor types, including growth arrest or apoptosis depending on the physiological circumstances and cell types. It is involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. TP53 Localizes in the nucleus in most cells but found in the cytoplasm in some cells. (PMID: 26166714; PMID: 25225161)		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1X10^6 UV treated HT-29 cells were intracellularly stained with 0.25 ug CoraLite®555 Anti-Human Phospho-P53 (Ser15) (CL555-67826, Clone:1H6G1) (red), or 0.25 ug CoraLite® Plus 555 Mouse IgG1 Isotype Control (1F8D3) (CL555-66360-1, Clone: 1F8D3) (blue). Cells were fixed with 4% PFA and permeabilized with 90% MeOH.