For Research Use Only

CoraLite®594-conjugated GORASP2 Polyclonal antibody

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Purification Method:

IF/ICC 1:300-1:1200

wavelengths: 588 nm / 604 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL594-10598

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL594-10598 BC007770
Size: GeneID (NCBI):
100ul , Concentration: 1000 ug/ml by 26003

Nanodrop; UNIPROT ID:

Source: Q9H8Y8
Rabbit Full Name:

Isotype: golgi reassembly stacking protein 2,

IgG 55kDa

Immunogen Catalog Number:Calculated MW:AG095055 kDa

Observed MW: 59 kDa

Applications

Tested Applications:
IF/ICC, FC (Intra)

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

GORASP2 (Golgi reassembly-stacking protein 2, or GRS2) has multiple phosphorylation sites and can be phosphorylated by MKK/ERK pathway during mitoisis. GORASP2 plays a role in the assembly and membrane stacking of the Golgi cisternae, and in the process by which Golgi stacks reform after mitotic breakdown.GORASP2 is supposed to regulate the intracellular transport and presentation of a defined set of transmembrane proteins, such as transmembrane TGFA.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug Coralite®594 Anti-Human GORASP2 (CL594-10598) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite®594 GORASP2 antibody (CL594-10598) at dilution of 1:600, CL488-Phalloidin (green).