For Research Use Only

CoraLite®594-conjugated DACH1 Polyclonal antibody

www.ptglab.com

Purification Method:

588 nm / 604 nm

IF/ICC: HEK-293 cells,

Catalog Number: CL594-10914

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL594-10914 BC021219 Antigen affinity purification GeneID (NCBI): Recommended Dilutions: Size: IF/ICC 1:50-1:500

100ul, Concentration: 1000 ug/ml by 1602

Nanodrop; **UNIPROT ID:** Excitation/Emission maxima wavelengths:

Source Q9UI36 Rabbit Full Name:

dachshund homolog 1 (Drosophila) Isotype

IgG Calculated MW:

Immunogen Catalog Number: 79 kDa

AG1354

Applications

Tested Applications: Positive Controls:

IF/ICC

Species Specificity:

human

Background Information

DACH1, a homologue of the Drosophila dachshund gene, is a key regulator of cell fate determination during eye, leg, and brain development in the fly. Through interacting with NCoR and Smad4, DACH1 is able to inhibit the transforming growth factor-beta (TGF-beta) signaling pathway. DACH1 can inhibit breast cancer cellular proliferation via cyclin D1, suggesting a possible role in tumor suppression. Additionally, DACH1 plays an important role in negative regulation of RANKL (Receptor activator of NF-kappaB ligand) gene expression in marrow stromal/preosteoblast cells. Dach1 expression is enriched in rECs, which are associated with osteoprogenitors and bone-resorbing osteoclasts, and overexpression of DACH1 in postnatal mice induces a strong increase in arteries and type R capillaries, leading to local metabolic changes and enabling trabecular bone formation in normally highly hypoxic areas of the diaphysis (PMID: 39528700). Moreover, Loss of DACH1 expression might be involved in endometrial cancer progression. Four isoforms of DACH1 are produced by alternative splicing. This antibody is a rabbit polyclonal antibody raised against residues near the C terminus of human DACH1.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using Coralite®594 DACH1 antibody (CL594-10914) at dilution of 1:200.