For Research Use Only

CoraLite®594-conjugated PLOD3 Polyclonal antibody



Purification Method:

Catalog Number: CL594-11027

Featured Product

Basic Information

Catalog Number: GenBank Accession Number: CL594-11027 BC011674

BC011674 Antigen affinity purification

Genel D (NCBI): Recommended Dilutions:

100ul , Concentration: 1000 µg/ml by 8985 IF 1:50-1:500

lanodrop; Full Name: Excitation/Emission maxima

Source: procollagen-lysine, 2-oxoglutarate 5- wavelengths:
Rabbit dioxygenase 3 593 nm / 614 nm

Isotype: Calculated MW: IgG 738 aa, 85 kDa Immunogen Catalog Number: Observed MW: AG1480 80-85 kDa

Applications

Tested Applications:

ΙF

Species Specificity: human, mouse, rat

Positive Controls:

IF: HepG2 cells,

Background Information

PLOD3, also named as LH3, forms hydroxylysine residues in -Xaa-Lys-Gly- sequences in collagens. These hydroxylysines serve as sites of attachment for carbohydrate units and are essential for the stability of the intermolecular collagen cross-links. The major function of PLOD3 in osteoblasts is to glucosylate galactosylhydroxylysine residues in type I collagen.

Storage

Storage:

Store at -20°C. Avoid exposure to light.


Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite®594 PLOD3 antibody (CL594-11027) at dilution of 1:200.