For Research Use Only

CoraLite®594-conjugated S100A4 Polyclonal antibody

Catalog Number:CL594-16105 Featured Product



Basic Information

Catalog Number: GenBank Accession Number:

CL594-16105 BC016300 GeneID (NCBI):

100ul, Concentration: 1000 ug/ml by 6275

Nanodrop: ENSEMBL Gene ID: ENSG00000196154 Rabbit **UNIPROT ID:**

Isotype: P26447 IgG Full Name:

Immunogen Catalog Number: S100 calcium binding protein A4

AG9019 Calculated MW:

101 aa, 12 kDa Observed MW: 10-12 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Species Specificity:

human, mouse

Positive Controls: IF/ICC: HeLa cells,

Background Information

 ${\tt S100A4} is a member of the {\tt S100} family of calcium-binding proteins. The {\tt S100} family members have been involved and the {\tt S100} family member of the {\tt S100} family of {\tt$ in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100A4 is known to localize to and function in the nucleus, cytoplasm of cells, and the extracellular space. S100A4 has also been shown to be associated with tumor growth, motility, invasion, metastasis, angiogenesis, apoptosis, and chemoresistance. It is a fibroblast-specific protein associated with mesenchymal cell morphology and motility, is expressed during epithelial-mesenchymal transformations (EMT) in vivo (PMID: 9362334). It is a specific prognostic marker for renal survival in patients with IgAN (PMID: 16105038). It is also an improved marker for lung fibroblasts that could be useful for investigating the pathogenesis of pulmonary fibrosis (PMID: 15618458). Overexpression of S100A4 is correlated with a worse prognosis inpatients with various types of cancer.

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite®594 \$100A4 antibody (CL594-16105) at dilution of 1:200.



1X10^6 Jurkat cells were intracellularly stained with 0.8 ug Coralite® 594 Anti-Human \$100A4 (CL594-16105) (red), or 0.8 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human S100A4 (CL594-16105) (red), or 0.4 ug CoraLite®594-conjugated Rabbit 1gG control Rabbit PolyAb (CL594-30000, Clone:) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).