#### For Research Use Only

# CoraLite®594-conjugated iNOS Polyclonal antibody

Catalog Number: CL594-18985

Featured Product

**3 Publications** 



**Basic Information** 

Catalog Number: GenBank Accession Number:

100ul, Concentration: 1000 ug/ml by 4843

Nanodrop; UNIPROT ID:
Source: P35228
Rabbit Full Name:

Isotype: nitric oxide synthase 2, inducible

IgG Calculated MW:

131 kDa Observed MW:

110-130 kDa, 65-70 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

IF/ICC 1:50-1:500

588 nm / 604 nm

Excitation/Emission maxima wavelengths:

Applications

Tested Applications: IF/ICC, FC (Intra)
Cited Applications:

IF

Species Specificity: human, mouse, rat Cited Species: mouse Positive Controls:

IF/ICC : HeLa cells,

## **Background Information**

NO52, also named as iNO5 and NO52A, produces nitric oxide (NO) which is a messenger molecule with diverse functions throughout the body. NO is a reactive free radical which acts as a biologic mediator in several processes, including neurotransmission, antimicrobial and antitumoral activities. NO52 is a nitric oxide synthase which is expressed in liver and is inducible by a combination of lipopolysaccharide and certain cytokines. iNOS has a very short half-life due to rapid degradation by calpain. iNOS monomer is a direct substrate of calpain I and can be cleaved by calpain I at the canonical CaM-binding site(503-532aa) of iNO5, and then a ~70kD band can be detected by western (PMID:11786228). This antibody is specific to NOS2.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Banxin Luo	39724782	Mol Immunol	IF
Ganghua Yang	37827053	Biomaterials	IF
Xiaoqian Jiang	36764561	J Ethnopharmacol	IF

Storage

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

### Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.8 ug Coralite®594 Anti-Human iNOS (CL594-18985) (red), or 0.8 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using CoraLite®594 iNOS antibody (CL594-18985) at dilution of 1:200.