For Research Use Only

## CoraLite®594-conjugated CXCR3Bspecific Monoclonal antibody



**Purification Method:** 

Catalog Number: CL594-60065 Featured Product

**Basic Information** 

Catalog Number: GenBank Accession Number: AF469635

CL594-60065 Protein A purification GeneID (NCBI): CloneNo.:

100ul, Concentration: 1000 ug/ml by 2833 1B2D6

Nanodrop: **UNIPROT ID:** Recommended Dilutions: P49682 IF/ICC 1:50-1:500

Mouse Excitation/Emission maxima Full Name: wavelengths:

Isotype: chemokine (C-X-C motif) receptor 3 588 nm / 604 nm lgG2b Calculated MW:

> 46 kDa Observed MW: 40 kDa+43 kDa

**Applications** 

**Tested Applications:** 

IF/ICC

Species Specificity:

human

Positive Controls:

IF/ICC: Live U-937 cells,

## **Background Information**

CXCR3 (C-X-C chemokine receptor type 3) is a G protein-coupled, seven-transmembrane domain chemokine receptor that is expressed on the surface of a number of cell types, including activated CD4+ and CD8+ T cells, NK and NK-T cells, plasmacytoid dendritic cells, and some B cells (PMID: 16847335). CXCR3 binds and is activated by the three IFN-gamma-inducible chemokines: CXCL9, CXCL10, and CXCL11. Binding of these ligands to CXCR3 has been implicated in regulating T-cell infiltration during inflammation and tissue injury (PMID: 17250586). Alternatively spliced transcript variants encoding different isoforms have been found for this gene. One of the isoforms, CXCR3B, mediates the angiostatic activity of CXCR3 ligands and also acts as functional receptor for CXCL4 (PMID:12782716). This monoclonal antibody is specific to CXCR3B.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of un-fixed Live U-937 cells using CoraLite® 594 CXCR3B-specific antibody (CL594-60065, Clone: 1B2D6) at dilution of 1:100.