For Research Use Only

## CoraLite®594 Anti-Human CD8 (UCHT4)




Catalog Number: CL594-65204


Basic Information	Catalog Number: CL594-65204	GenBank Accession Number: BC025715	Purification Method: Protein A purification
	Size: 100tests , 5 ul/test	GenelD (NCBI): 925	CloneNo.: UCHT4
	Source: Mouse	ENSEMBL Gene ID: ENSG00000153563	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
	Isotype: IgG2a	UNIPROT ID: P01732 Full Name: CD8a molecule	
		Applications	
Species Specificity: human			
Background Information	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8a or as a heterodimer of CD8a and CD8 $\beta$ (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8a $\beta$ heterodimer while CD8a $\alpha$ homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) $\gamma \delta$ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).		
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10<sup>^</sup>6 human PBMCs were surface stained with CL750 Anti-Human CD3 (CL750-65151) and 5 ul CoraLite®594 Anti-Human CD8 (CL594-65204, Clone:UCHT4) or CoraLite®594 Mouse IgG2a Isotype Control (CL594-65208). Cells were not fixed. Lymphocytes were gated.

1x10^6 human PBMCs were surface stained with 5 ul CoraLite®594 Anti-Human CD8 (CL594-65204, Clone:UCHT4) or CoraLite®594 Mouse IgG2a Isotype Control (CL594-65208). Cells were not fixed. Lymphocytes were gated.