For Research Use Only

CoraLite®594-conjugated P62/SQSTM1 Monoclonal antibody proteintech Antibodies | ELISA kits | Proteins www.ptglab.com

Catalog Number:CL594-66184

Featured Product


1 Publications

Basic Information	Catalog Number: CL594-66184	GenBank Accession Number: BC017222 GeneID (NCBI):		Purification Method: Protein A purification					
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG13131			CloneNo.: 1H5C1					
		UNIPROT ID: Recommended Dilutions:							
		Q13501		IF/ICC 1:50-1:500					
		Full Name: sequestosome 1 Calculated MW: 48 kDa Observed MW: 62 kDa		Excitation/Emission maxima wavelengths: 588 nm / 604 nm					
					Applications	Tested Applications: Positive Controls:			
						IF/ICC Cited Applications:	IF/ICC : HepG2 cells, Chloroquine treated U2OS cells		
						IF Species Specificity: human Sequestosome 1 (SQSTM1/p62) is a multifunctional adaptor protein implicated in selective autophagy, cell signaling pathways, and tumorigenesis. p62 has been implicated in shuttling ubiquitinated and sometimes aggregated proteins for autophagic degradation. As a autophagy-specific substrate, p62 is degraded during the autophagic process, which makes intracellular level of p62 as a marker for autophagy flux. p62 is at the cross-roads of several signaling pathways including Ras/ Raf/ MAPK and NFkB and plays important role in cancer. p62 is a component of inclusion bodies/ protein aggregates found in human diseases, including Huntington's disease, Alzheimer's disease, Parkinson's disease in the brain, and nephropathic cystinosis in kidney (PMID: 22074114, 22860231, 22714671). The molecular weight of p62 is predicted as 48/ 38 kDa, while western blot analyses using this antibody demonstrate the major band around 60-62 kDa in various tissues.			
Background Information									
Notable Publications	Author Pub	med ID Jou	ırnal	Application					
	Carlos Ayala Torres 397	23606 Au	tophagy	IF					
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage								


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Chloroquine treated HepG2 cells using CoraLite®594-conjugated P62/SQSTM1 antibody (CL594-66184, Clone: 1H5C1) at dilution of 1:100.



Immunofluorescent analysis of (-20°C Ethanol) fixed Chloroquine treated U2OS cells using CoraLite® 594 P62/SQSTM1 antibody (CL594-66184, Clone: 1H5C1) at dilution of 1:100, CL488-Phalloidin (green).