For Research Use Only

CoraLite®594-conjugated STAT5B Monoclonal antibody

Catalog Number: CL594-66427



Basic Information	Catalog Number: CL594-66427	GenBank Accession Number: BC020868	Purification Method: Protein A purification				
	Size: 100ul , Concentration: 1000 ug/ml by Nanodrop; Source: Mouse Isotype: IgG2a Immunogen Catalog Number: AG2709	GenelD (NCBI): 6777	CloneNo.: 1D9B11				
		ENSEMBL Gene ID: ENSG00000173757 UNIPROT ID: P51692 Full Name: signal transducer and activator of transcription 5B Calculated MW: 787 aa, 90 kDa Observed MW: 90 kDa	Recommended Dilutions: IF/ICC 1:50-1:500				
			Excitation/Emission maxima wavelengths: 588 nm / 604 nm				
				Applications	Tested Applications:	Positive Controls: IF/ICC : HepG2 cells,	
					IF/ICC, FC (Intra) Species Specificity: human		
				Background Informatior	STAT5B belongs to the transcription factor STAT family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. STAT5B carries out a dual function: signal transduction and activation of transcription. STAT5B mediates the signal transduction triggered by various cell ligands, such as IL2, IL4, CSF1, and different GH. It has been shown to be involved in diverse biological processes, such as TCR signaling, apoptosis, adult mammary gland development, and sexual dimorphism of liver gene expression. Despite the 95% homology between the immunogen (Ag2709) and the STAT5A protein, our WB detection showed that this antibody does not recognize the STAT5A fusion protein (Ag19546).		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage						


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite®594 STAT5B antibody (CL594-66427, Clone: 1D9B11) at dilution of 1:200, CL488-Phalloidin (green).



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite®594 Anti-Human STAT5B (CL594-66427, Clone:1D9B11) (red), or 0.4 ug Mouse IgG2a Isotype Control (CL594-66360-2, Clone: K11A1B2A2) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).