For Research Use Only

CoraLite®594-conjugated S100A4 Monoclonal antibody

www.ptglab.com

Purification Method:

588 nm / 604 nm

Catalog Number: CL594-66489

Featured Product

Basic Information

Catalog Number: GenBank Accession Number:

CL594-66489 BC016300 Protein A purification

GeneID (NCBI): CloneNo.: Size: 2G11B4 100ul, Concentration: 1000 ug/ml by 6275

Nanodrop; **ENSEMBL Gene ID: Recommended Dilutions:**

IF/ICC: 1:50-1:500 Source ENSG00000196154

FC (Intra): 0.80 ug per 10^6 cells in a Mouse UNIPROT ID:

100 µl suspension P26447 Isotype Excitation/Emission maxima

IgG2a **Full Name:** wavelengths:

Immunogen Catalog Number: S100 calcium binding protein A4 AG9019

Calculated MW: 101 aa. 12 kDa

Applications Tested Applications: Positive Controls:

IF/ICC, FC (Intra) IF/ICC: RAW 264.7 cells, Species Specificity: FC (Intra): HeLa cells, human, mouse

Background Information

S100A4 is a member of the S100 family of calcium-binding proteins. The S100 family members have been involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100A4 is known to localize to and function in the nucleus, cytoplasm of cells, and the extracellular space. S100A4 has also been shown to be associated with tumor growth, motility, invasion, metastasis, angiogenesis, apoptosis, and chemoresistance. It is a fibroblast-specific protein associated with mesenchymal cell morphology and motility, is expressed during epithelial-mesenchymal transformations (EMT) in vivo (PMID: 9362334). It is a specific prognostic marker for renal survival in patients with IgAN (PMID: 16105038). It is also an improved marker for lung fibroblasts that could be useful for investigating the pathogenesis of pulmonary fibrosis (PMID: 15618458). Overexpression of ${\tt S100A4} is correlated with a worse prognosis inpatients with various types of cancer.$

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed RAW 264.7 cells using Coralite®594 S100A4 antibody (CL594-66489, Clone: 2G11B4) at dilution of 1:200.



1x10^6 HeLa cells were intracellularly stained with 0.8 ug CoraLite®594-conjugated \$100A4 Monoclonal antibody (CL594-66489, Clone:2G11B4) (red), or 0.8 ug CoraLite®594 Mouse IgG2a isotype control (11A1B2) (CL594-66360-2, Clone: 11A1B2) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).