For Research Use Only

## CoraLite®594-conjugated NFATC1 Monoclonal antibody



Catalog Number: CL594-66963

**Basic Information** 

GenBank Accession Number:

**Purification Method:** 

Catalog Number: CL594-66963

BC104753

Protein G purification

GeneID (NCBI):

CloneNo.:

100ul , Concentration: 1000  $\mu g/ml$  by 4772

1E1B10

Nanodrop:

**UNIPROT ID:** 095644

Excitation/Emission maxima wavelengths:

Mouse

Full Name: nuclear factor of activated T-cells, 588 nm / 604 nm

Isotype: lgG1

cytoplasmic, calcineurin-dependent 1

Immunogen Catalog Number: AG13014

Calculated MW: 716aa.78 kDa: 943aa.101 kDa

Observed MW: 101 kDa

**Applications** 

**Tested Applications:** 

Species Specificity:

Human

**Background Information** 

NFATc1(nuclear factor-activated T cells c1) is one of the transcription factors family consisting 5 members which were considered as a regulator of T-cell activation. In immune cell, NFATc1 is located in the cytoplasm in a hyperphosphorylated state and translocates into the nucleus upon cell stimulation via dephosphorylation(PMID:28327458). One paper observed that ectopic expression and nuclear accumulation of NFATc1 in more than 60% of human pancreatic cancers (PMID:25623042). Several alternative splicing transcript variants encoding different isoforms have been identified for this gene. And different isoforms of this protein may regulate different cytokine gene expression. NFATc1 is a main transcriptional activator for cytokine genes in activated lymphoid cells. Also some studies demonstrated that NFATc1 plays the role of a master transcription regulator of osteoclast differentiation (PMID:25489571).

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data