For Research Use Only

CoraLite®594-conjugated SF3B3 Monoclonal antibody

www.ptglab.com

Catalog Number: CL594-67469

Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** CL594-67469 BC003146 Protein A purification

> GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 23450 2H7F5

Nanodrop: **UNIPROT ID:** Recommended Dilutions: Q15393 IF-P 1:50-1:500 IF/ICC 1:50-1:500 Mouse Full Name:

Isotype: splicing factor 3b, subunit 3, 130kDa Excitation/Emission maxima

wavelengths: lgG2b Calculated MW: 588 nm / 604 nm Immunogen Catalog Number: 136 kDa AG6315

Observed MW: 130-135 kDa

Positive Controls: **Tested Applications: Applications**

IF/ICC, IF-P IF-P: mouse heart tissue, Species Specificity: IF/ICC: HepG2 cells, human, mouse, rat

Background Information

Introns are removed from nuclear pre-mRNA in 2-step transesterification reactions. Splicing occured in a large ribonucleoprotein particle, called the spliceosome. Spliceosomal intermediate complexes form on pre-mRNA in the order E, A, B, and C, with the catalytic reactions occurring in complex C. U2 small nuclear ribonucleoproteins are one of the proteins essential for spliceosome assembly and mRNA splicing. Functional U2 snRNP is composed of a 12S unit and 2 splicing factors, SF3A, which is composed of 3 proteins, and SF3B, which conposed of 4 proteins. SF3B3 is one of SF3B, and it's required for 'A' complex assembly formed by the stable binding of U2 snRNP to the brachpoint sequence(BPS) in pre-mRNA.

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.


Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse heart tissue using CoraLite®594 SF3B3 antibody (CL594-67469, Clone: 2H7F5) at dilution of 1:200. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using CoraLite®594 SF3B3 antibody (CL594-67469, Clone: 2H7F5) at dilution of 1:200.