For Research Use Only

CoraLite® Plus 594-conjugated PGAM1 Monoclonal antibody

www.ptglab.com

Purification Method:

Protein G purification

wavelengths: 594 nm / 615 nm

Excitation/Emission maxima

Catalog Number:CL594-67470

Featured Product

Basic Information

Catalog Number: GenBank Accession Number: BC011678

CL594-67470

GeneID (NCBI): CloneNo.: 100ul, Concentration: 1000 ug/ml by 5223 2H2A9

Nanodrop: **UNIPROT ID:** Recommended Dilutions: P18669 IF/ICC 1:50-1:500

Mouse Full Name:

Isotype: phosphoglycerate mutase 1 (brain) lgG1 Calculated MW:

Immunogen Catalog Number: 254 aa, 29 kDa AG9250 Observed MW:

29 kDa

Applications

Tested Applications:

IF/ICC

Species Specificity: Human, Mouse, Rat Positive Controls:

IF/ICC: HepG2 cells,

Background Information

PGAM1(phosphoglycerate mutase 1) is also named as PGAMA, PGAM-B and belongs to the phosphoglycerate mutase family. Phosphoglycerate mutase is widely distributed in mammalian tissues where it catalyzes the reversible reaction of 3-phosphoglycerate (3-PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway. The homodimer PGAM1 is expressed mainly in liver, kidney, brain and overexpressed in a variety of human cancers, including breast carcinoma, colorectal cancer, lung cancer, prostate cancer, oral squamous cell carcinoma, esophageal squamous cell carcinomas and also associated with certain virus infection. PGAM1 could be developed as a useful diagnostic biomarker, as well as a potential therapeutic target for hepatocellular carcinoma (PMID:20403181). This antibody may also recognize PGAM2 and PGAM4 due to the high homology.

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite® Plus 594 PGAM1 antibody (CL594-67470, Clone: 2H2A9) at dilution of 1:200.