For Research Use Only

CoraLite®594-conjugated RIG-1/DDX58 Monoclonal antibody



Catalog Number: CL594-67556

Basic Information

Catalog Number: GenBank Accession Number:

CL594-67556 BC132786 GeneID (NCBI): 100ul, Concentration: 985 µg/ml by 23586

Source: DEAD (Asp-Glu-Ala-Asp) box

polypeptide 58 Mouse Calculated MW: Isotype: 925 aa, 107 kDa lgG1

Immunogen Catalog Number: Observed MW: 101/106 kDa

Purification Method: Protein G purification

CloneNo.: 3B10F5

Recommended Dilutions:

IF 1:50-1:500

Excitation/Emission maxima

wavelengths: 593 nm / 614 nm

Applications

Tested Applications:

Species Specificity: Human, mouse, rat **Positive Controls:**

IF: HepG2 cells,

Background Information

DDX58, also named as RIG-1, belongs to the helicase family. It is involved in innate immune defense against viruses. Upon interaction with intracellular dsRNA produced during viral replication, triggers a transduction cascade involving MAVS/IPS1, which results in the activation of NF-kappa-B, IRF3 and IRF7 and the induction of the $expression of antiviral \ cytokines \ such as \ IFN-beta \ and \ RANTES \ (CCL5). \ Detects \ dsRNA \ produced \ from \ non-self \ dsDNA$ by RNA polymerase III, such as Epstein-Barr virus-encoded RNAs (EBERs). It is essential for the production of interferons in response to RNA viruses including paramyxoviruses, influenza viruses, Japanese encephalitis virus and HCV. The antibody is specific to DDX58, which has two isoform with the MW of 106 and 101 kDa.

Storage


Store at -20°C. Avoid exposure to light.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite®594-conjugated RIG-1/DDX58 antibody (CL594-67556, Clone: 3B10F5) at dilution of 1:100.